


## Statomix™ ME Series Industrial

Mixers for high pressure, Ø of bell mouth housing 15.9 mm



Important: For health and safety reasons, Statomix SH Series safety shrouds must be used at all times

Part number	Article	Description	Elements	inner Ø (mm)	outlet Ø mm	L (mm)	max operating pressure	Units / box
102448	<b>ME 05-24T</b>	Machine Mixer PP, elements POM blue, stepped tip	24	5.0	1.5	149	33	2000
102449	<b>ME 05-32T</b>	Machine Mixer PP, elements POM blue, stepped tip	32	5.0	1.5	188	33	2000
102450	<b>ME 06-24T</b>	Machine Mixer PP, elements POM blue, stepped tip	24	6.4	1.8	186	30	2000
102451	<b>ME 06-32T</b>	Machine Mixer PP, elements POM blue, stepped tip	32	6.4	1.8	235	30	1700
102452	<b>ME 06-48T</b>	Machine Mixer PP, elements POM blue, stepped tip	48	6.4	2.4	334	30	1000
102453	<b>ME 08-24T</b>	Machine Mixer PP, elements POM blue, stepped tip	24	8	2.4	223	27	1500
102454	<b>ME 08-32T</b>	Machine Mixer PP, elements POM blue, stepped tip	32	8	2.4	289	27	1200
102456	<b>ME 10-24T</b>	Machine Mixer PP, elements POM blue, stepped tip	24	10	3	276	22	1000

### Headquarters

Sulzer Mixpac Ltd  
phone +41 81 772 20 00  
fax +41 81 772 20 01  
mixpac@sulzer.com  
www.sulzerchemtech.com

### USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.  
phone +1 603 893 27 27  
fax +1 603 893 37 37  
info@SulzerMixpacUSA.com  
www.sulzerchemtech.com

### UK and Ireland


Sulzer Mixpac UK  
phone +44 1536 31 29 90  
fax +44 1536 31 29 85  
mixpac@sulzer.com  
www.sulzerchemtech.com

### Asia Pacific

Sulzer Mixpac China  
phone +86 21 6430 68 68  
fax +86 21 6430 66 88  
mixpac@sulzer.com  
www.sulzerchemtech.com

## Statomix™ ME Series Industrial

Mixers for high pressure, Ø of bell mouth housing 15.9 mm



Important: For health and safety reasons, Statomix SH Series safety shrouds must be used at all times

Part number	Article	Description	Elements	inner Ø (mm)	outlet Ø mm	L (mm)	max operating pressure	Units / box
102457	<b>ME 10-32T</b>	Machine Mixer PP, elements POM blue, stepped tip	32	10	3	355	22	800
102460	<b>ME 13-24T-02</b>	Machine Mixer PP, long elements POM blue, stepped tip	24	13	4	350	17	500
102459	<b>ME 13-24T</b>	Machine Mixer PP, elements POM blue, stepped tip	24	13	4	293	17	700
102462	<b>ME 13-32T-02</b>	Machine Mixer PP, long elements POM blue, stepped tip	32	13	4	453	17	400
102461	<b>ME 13-32T</b>	Machine Mixer PP, elements POM blue, stepped tip	32	13	4	378	17	500

### Headquarters

Sulzer Mixpac Ltd  
phone +41 81 772 20 00  
fax +41 81 772 20 01  
mixpac@sulzer.com  
www.sulzerchemtech.com

### USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.  
phone +1 603 893 27 27  
fax +1 603 893 37 37  
info@SulzerMixpacUSA.com  
www.sulzerchemtech.com

### UK and Ireland

Sulzer Mixpac UK  
phone +44 1536 31 29 90  
fax +44 1536 31 29 85  
mixpac@sulzer.com  
www.sulzerchemtech.com

### Asia Pacific

Sulzer Mixpac China  
phone +86 21 6430 68 68  
fax +86 21 6430 66 88  
mixpac@sulzer.com  
www.sulzerchemtech.com

## Statomix™ ME Series Industrial

Mixers for high pressure with F-interface 4:1/10:1



Important: For health and safety reasons, Statomix SH Series safety shrouds must be used at all times

Part number	Article	Description	Elements	inner Ø (mm)	outlet Ø mm	L (mm)	max operating pressure	Units / box
102455	<b>ME 1012-0832T</b>	Combo Mixer PP, elements POM blue, stepped tip	12+32	10/8	2.4	409	22	700
102458	<b>ME 1312-1032T</b>	Combo Mixer PP, elements POM blue, stepped tip	12+32	13/10	7.2	499	17	500

### Headquarters

Sulzer Mixpac Ltd  
phone +41 81 772 20 00  
fax +41 81 772 20 01  
mixpac@sulzer.com  
www.sulzerchemtech.com

### USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.  
phone +1 603 893 27 27  
fax +1 603 893 37 37  
info@SulzerMixpacUSA.com  
www.sulzerchemtech.com

### UK and Ireland


Sulzer Mixpac UK  
phone +44 1536 31 29 90  
fax +44 1536 31 29 85  
mixpac@sulzer.com  
www.sulzerchemtech.com

### Asia Pacific

Sulzer Mixpac China  
phone +86 21 6430 68 68  
fax +86 21 6430 68 88  
mixpac@sulzer.com  
www.sulzerchemtech.com

## Statomix™ MEF Series Industrial

Mixers for high pressure with F-interface 1:1/2:1



Important: For health and safety reasons, Statomix SH Series safety shrouds must be used at all times

Part number	Article	Description	Elements	inner Ø (mm)	outlet Ø mm	L (mm)	max operating pressure	Units / box
110591	<b>MEF 06-24T</b>	Machine Mixer 1:1/2:1 elements POM blue, stepped tip, F-interface	24	6.4	1.8	195	30	1'600
110591	<b>MEF 06-24T</b>	Machine Mixer 1:1/2:1 elements POM blue, stepped tip, F-interface	24	6.4	1.8	195	30	1'600
111666	<b>MEF 06-32T</b>	Machine Mixer 1:1/2:1 elements POM blue, stepped tip, F-interface	32	6.4	1.8	245	30	1'200
110592	<b>MEF 08-24T</b>	Machine Mixer 1:1/2:1 elements POM blue, stepped tip, F-interface	24	8.0	2.4	235	27	1'200
102463	<b>MEF 08-32T</b>	Machine Mixer 1:1/2:1 elements POM blue, stepped tip, F-interface	32	8.0	2.4	299	27	900
102464	<b>MEF 10-24T</b>	Machine Mixer 1:1/2:1 elements POM blue, stepped tip, F-interface	24	9.9	3.0	280	22	900

### Headquarters

Sulzer Mixpac Ltd  
phone +41 81 772 20 00  
fax +41 81 772 20 01  
mixpac@sulzer.com  
www.sulzerchemtech.com

### USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.  
phone +1 603 893 27 27  
fax +1 603 893 37 37  
info@SulzerMixpacUSA.com  
www.sulzerchemtech.com

### UK and Ireland


Sulzer Mixpac UK  
phone +44 1536 31 29 90  
fax +44 1536 31 29 85  
mixpac@sulzer.com  
www.sulzerchemtech.com

### Asia Pacific

Sulzer Mixpac China  
phone +86 21 6430 68 68  
fax +86 21 6430 66 88  
mixpac@sulzer.com  
www.sulzerchemtech.com

## Statomix™ MEF Series Industrial

Mixers for high pressure with F-interface 1:1/2:1



Important: For health and safety reasons, Statomix SH Series safety shrouds must be used at all times

Part number	Article	Description	Elements	inner Ø (mm)	outlet Ø mm	L (mm)	max operating pressure	Units / box
102465	<b>MEF 10-32T</b>	Machine Mixer 1:1/2:1 elements POM blue, stepped tip, F-interface	32	9.9	3.0	360	22	700
114327	<b>MEF 13-18T</b>	Machine Mixer 1:1/2:1 elements POM blue, stepped tip, F-interface	18	13.0	4.0	235	17	900
114330	<b>MEF 13-24T</b>	Machine Mixer 1:1/2:1 elements POM blue, stepped tip, F-interface	24	13.0	4.0	296	17	700

### Headquarters

Sulzer Mixpac Ltd  
 phone +41 81 772 20 00  
 fax +41 81 772 20 01  
 mixpac@sulzer.com  
 www.sulzerchemtech.com

### USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.  
 phone +1 603 893 27 27  
 fax +1 603 893 37 37  
 info@SulzerMixpacUSA.com  
 www.sulzerchemtech.com

### UK and Ireland


Sulzer Mixpac UK  
 phone +44 1536 31 29 90  
 fax +44 1536 31 29 85  
 mixpac@sulzer.com  
 www.sulzerchemtech.com

### Asia Pacific

Sulzer Mixpac China  
 phone +86 21 6430 68 68  
 fax +86 21 6430 68 88  
 mixpac@sulzer.com  
 www.sulzerchemtech.com

## Statomix™ MEFX Series Industrial

Mixers for high pressure with F-interface 4:1/10:1



Important: For health and safety reasons, Statomix SH Series safety shrouds must be used at all times

Part number	Article	Description	Elements	inner Ø (mm)	outlet Ø mm	L (mm)	max operating pressure	Units / box
110737	<b>MEFX 06-18T</b>	Machine Mixer PP, elements POM blue, stepped tip, F-interface orange	18	6.4	1.8	157.4	30	1'700
110738	<b>MEFX 08-18T</b>	Machine Mixer PP, elements POM blue, stepped tip, F-interface orange	18	8.0	2.4	185.6	27	1'400
110871	<b>MEFX 10-18T</b>	Machine Mixer PP, elements POM blue, stepped tip, F-interface orange	18	9.9	3.0	222.0	22	1'000
114331	<b>MEFX 13-18T</b>	Machine Mixer PP, elements POM blue, stepped tip, F-interface orange	18	13.0	4.0	235.0	17	900
114326	<b>MEFX 13-24T</b>	Machine Mixer PP, elements POM blue, stepped tip, F-interface orange	24	12.9	4.0	295.8	17	700

### Headquarters

Sulzer Mixpac Ltd  
phone +41 81 772 20 00  
fax +41 81 772 20 01  
mixpac@sulzer.com  
www.sulzerchemtech.com

### USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.  
phone +1 603 893 27 27  
fax +1 603 893 37 37  
info@SulzerMixpacUSA.com  
www.sulzerchemtech.com

### UK and Ireland


Sulzer Mixpac UK  
phone +44 1536 31 29 90  
fax +44 1536 31 29 85  
mixpac@sulzer.com  
www.sulzerchemtech.com

### Asia Pacific

Sulzer Mixpac China  
phone +86 21 6430 68 68  
fax +86 21 6430 66 88  
mixpac@sulzer.com  
www.sulzerchemtech.com

## Statomix™ MS Series Industrial

Mixers for high pressure, Ø of bell mouth housing 16.7 mm



Important: For health and safety reasons, Statomix SH Series safety shrouds must be used at all times

Part number	Article	Description	Elements	inner Ø (mm)	outlet Ø mm	L (mm)	max operating pressure	Units / box
102503	<b>MS 05-24T</b>	Machine Mixer PP, elements POM yellow, stepped tip	24	5.0	1.5	149	33	2'000
102504	<b>MS 05-32T</b>	Machine Mixer PP, elements POM yellow, stepped tip	32	5.0	1.5	188	33	2'000
102505	<b>MS 06-24T</b>	Machine Mixer PP, elements POM yellow, stepped tip	24	6.4	1.8	186	30	2'000
102506	<b>MS 06-32T</b>	Machine Mixer PP, elements POM yellow, stepped tip	32	6.4	1.8	235	30	1'700
102507	<b>MS 06-48T</b>	Machine Mixer PP, elements POM yellow, stepped tip	48	6.4	2.4	334	30	1'000
102509	<b>MS 06-56L</b>	Machine Mixer PP, element POM yellow, luer lock tip	56	6.4	4.5	378	30	800
102508	<b>MS 06-56D</b>	Machine Mixer PP, element POM yellow, straight tip	56	6.4	4.5	378	30	800

### Headquarters

Sulzer Mixpac Ltd  
phone +41 81 772 20 00  
fax +41 81 772 20 01  
mixpac@sulzer.com  
www.sulzerchemtech.com

### USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.  
phone +1 603 893 27 27  
fax +1 603 893 37 37  
info@SulzerMixpacUSA.com  
www.sulzerchemtech.com

### UK and Ireland


Sulzer Mixpac UK  
phone +44 1536 31 29 90  
fax +44 1536 31 29 85  
mixpac@sulzer.com  
www.sulzerchemtech.com

### Asia Pacific

Sulzer Mixpac China  
phone +86 21 6430 68 68  
fax +86 21 6430 66 88  
mixpac@sulzer.com  
www.sulzerchemtech.com

## Statomix™ MS Series Industrial

Mixers for high pressure, Ø of bell mouth housing 16.7 mm



Important: For health and safety reasons, Statomix SH Series safety shrouds must be used at all times

Part number	Article	Description	Elements	inner Ø (mm)	outlet Ø mm	L (mm)	max operating pressure	Units / box
102510	<b>MS 08-24T</b>	Machine Mixer PP, elements POM yellow, stepped tip	24	8.0	2.4	223	27	1'500
102511	<b>MS 08-32T</b>	Machine Mixer PP, elements POM yellow, stepped tip	32	8.0	2.4	289	27	1'200
102513	<b>MS 10-18T</b>	Machine Mixer PP, elements POM yellow, stepped tip	18	10.0	3.0	214	22	1'400
102514	<b>MS 10-24T</b>	Machine Mixer PP, elements POM yellow, stepped tip	24	10.0	3.0	276	22	1'000
102515	<b>MS 10-32T</b>	Machine Mixer PP, elements POM yellow, stepped tip	32	10.0	3.0	355	22	800

### Headquarters

Sulzer Mixpac Ltd  
phone +41 81 772 20 00  
fax +41 81 772 20 01  
mixpac@sulzer.com  
www.sulzerchemtech.com

### USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.  
phone +1 603 893 27 27  
fax +1 603 893 37 37  
info@SulzerMixpacUSA.com  
www.sulzerchemtech.com

### UK and Ireland

Sulzer Mixpac UK  
phone +44 1536 31 29 90  
fax +44 1536 31 29 85  
mixpac@sulzer.com  
www.sulzerchemtech.com


### Asia Pacific

Sulzer Mixpac China  
phone +86 21 6430 68 68  
fax +86 21 6430 66 88  
mixpac@sulzer.com  
www.sulzerchemtech.com



## Statomix™ MS Series Industrial

Mixers for high pressure, Ø of bell mouth housing 16.7 mm



Important: For health and safety reasons, Statomix SH Series safety shrouds must be used at all times

Part number	Article	Description	Elements	inner Ø (mm)	outlet Ø mm	L (mm)	max operating pressure	Units / box
113743	<b>MS 13-12G</b>	Machine Mixer PP, elements POM yellow, threaded tip	12	13.0	10.0	159	17	1'000
102517	<b>MS 13-18G</b>	Machine Mixer PP, elements POM yellow, threaded tip	18	12.8	10.0	223	17	800
102519	<b>MS 13-24T-02</b>	Machine Mixer PP, long elements POM yellow, stepped tip	24	13.0	4.0	350	17	500
102518	<b>MS 13-24T</b>	Machine Mixer PP, elements POM yellow, stepped tip	24	13.0	4.0	293	17	700
102522	<b>MS 13-32G-01</b>	Machine Mixer PP, elements POM yellow, threaded tip, treat NPT 1/4-18	32	13.0	8.0	373	17	400
102521	<b>MS 13-32T-02</b>	Machine Mixer PP, long elements POM yellow, stepped tip	32	13.0	4.0	453	17	400
102520	<b>MS 13-32T</b>	Machine Mixer PP, elements POM yellow, stepped tip	32	13.0	4.0	378	17	500

### Headquarters

Sulzer Mixpac Ltd  
phone +41 81 772 20 00  
fax +41 81 772 20 01  
mixpac@sulzer.com  
www.sulzerchemtech.com

### USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.  
phone +1 603 893 27 27  
fax +1 603 893 37 37  
info@SulzerMixpacUSA.com  
www.sulzerchemtech.com

### UK and Ireland


Sulzer Mixpac UK  
phone +44 1536 31 29 90  
fax +44 1536 31 29 85  
mixpac@sulzer.com  
www.sulzerchemtech.com

### Asia Pacific

Sulzer Mixpac China  
phone +86 21 6430 68 68  
fax +86 21 6430 66 88  
mixpac@sulzer.com  
www.sulzerchemtech.com

## Statomix™ MS Series Industrial

Mixers for high pressure with F-interface 4:1/10:1



Important: For health and safety reasons, Statomix SH Series safety shrouds must be used at all times

Part number	Article	Description	Elements	inner Ø (mm)	outlet Ø mm	L (mm)	max operating pressure	Units / box
102512	<b>MS 1012-0832T</b>	Combo Mixer PP, elements POM yellow, stepped tip	12+32	10/8	2.4	409	22	700
102516	<b>MS 1312-1032T</b>	Combo Mixer PP, elements POM yellow, stepped tip	12+32	13/10	7.2	499	17	500

#### Headquarters

Sulzer Mixpac Ltd  
phone +41 81 772 20 00  
fax +41 81 772 20 01  
mixpac@sulzer.com  
www.sulzerchemtech.com

#### USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.  
phone +1 603 893 27 27  
fax +1 603 893 37 37  
info@SulzerMixpacUSA.com  
www.sulzerchemtech.com

#### UK and Ireland


Sulzer Mixpac UK  
phone +44 1536 31 29 90  
fax +44 1536 31 29 85  
mixpac@sulzer.com  
www.sulzerchemtech.com

#### Asia Pacific

Sulzer Mixpac China  
phone +86 21 6430 68 68  
fax +86 21 6430 68 88  
mixpac@sulzer.com  
www.sulzerchemtech.com

## Statomix™ MR Series Industrial

Mixers for low viscosity 2-component reactive resin systems / Ø of bell mouth housing 16.7 mm



Important: For health and safety reasons, Statomix SH Series safety shrouds must be used at all times

Part number	Article	Description	Elements	inner Ø (mm)	outlet Ø mm	L (mm)	max operating pressure	Units / box
102499	<b>MSR 06-12T</b>	Rotary mixer PP, elements POM green, stepped tip	12	6.4	1.8	111.5	30.0	2'000
102500	<b>MSR 08-12T</b>	Rotary mixer PP, elements POM green, stepped tip	12	8.0	2.4	130.0	27.0	1'500
102501	<b>MSR 10-12T</b>	Rotary mixer PP, elements POM green, stepped tip	12	10.0	3.0	155.0	22.0	1'500
102502	<b>MSR 13-12T</b>	Rotary mixer PP, elements POM green, stepped tip	12	13.0	4.0	197.0	17.0	1'000

### Headquarters

Sulzer Mixpac Ltd  
phone +41 81 772 20 00  
fax +41 81 772 20 01  
mixpac@sulzer.com  
www.sulzerchemtech.com

### USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.  
phone +1 603 893 27 27  
fax +1 603 893 37 37  
info@SulzerMixpacUSA.com  
www.sulzerchemtech.com

### UK and Ireland

Sulzer Mixpac UK  
phone +44 1536 31 29 90  
fax +44 1536 31 29 85  
mixpac@sulzer.com  
www.sulzerchemtech.com

### Asia Pacific

Sulzer Mixpac China  
phone +86 21 6430 68 68  
fax +86 21 6430 66 88  
mixpac@sulzer.com  
www.sulzerchemtech.com