


Manual Dispenser H8X-5

2-K 50 ml 1:1 or 2:1



Suitability • Force 1.3 kN (~130 kg) Stroke 5.4 mm • 2-Component Cartridge, 50 ml • Material Viscosity Low/Medium • Professional Use	[mm]	1:1	2:1	
	a	46,5	46,5	
	b	26,0	26,0	
	c	115,0	99,0	

Part Number	Article	Description	Packaging
DM2 50-13-100	151744	Weight 0.41 kg, Length 190 mm Reinforced Nylon Handle and Cartridge Holder, Standard colour Black/Red	Outer box 50 units Packed individually

Product advantages	Customer benefits
Anti-Drip and trigger integrated brake release	Swift and easy to use, clean application
Optimal gearing ratio	Fast and non tiring working
Long life technology	Reliable dispenser

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 43 600 111
mail.mk@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
info@SulzerMixpacUSA.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Manual Dispenser H236M

2-K 200 ml 1:1 or 2:1



Suitability

- Force 5 kN (~500 kg), Stroke 3.5 mm
- 2-Component Cartridge, 200 ml, 1:1 or 2:1, 38 x 77 x 149 mm
- Material Viscosity High
- Professional Use

Part Number	Article	Description	Packaging
DM2 200-50-100	151746	Weight 1.07 kg, Length 300 mm Fully Molded Reinforced Nylon, Integrated Rocker Arms (ratio shift), U-Opening Standard colour Black	outer box 20 units

Product advantages	Customer benefits
High gearing ratio	Effective working
Anti-Drip and trigger integrated brake release	Swift and easy to use, clean application
Centered handle	Well balanced dispenser for precise working
Long life technology	Reliable dispenser

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 43 600 111
mail.mk@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
info@SulzerMixpacUSA.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Manual Dispenser H236-410

2-K 200 ml 4:1 or 10:1



Suitability

- Force 5 kN (~500 kg), Stroke 3.5 mm
- 2-Component Cartridge, 200 ml, 4:1 or 10:1, Ø 38 x 77 x 149 mm
- Material Viscosity High
- Professional Use

Part Number	Article	Description	Packaging
DM2 200-50-200	151745	Weight 1.07 kg, Length 300 mm Fully Molded Reinforced Nylon, Integrated Rocker Arms (ratio shift), U-Opening Standard colour Black	outer box 20 units

Product advantages	Customer benefits
High gearing ratio	Effective working
Anti-Drip and trigger integrated brake release	Swift and easy to use, clean application
Centered handle	Well balanced dispenser for precise working
Long life technology	Reliable dispenser

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 43 600 111
mail.mk@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
info@SulzerMixpacUSA.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Manual Dispenser H238

2-K 400 ml 4:1



Suitability

- Force 5 kN (~500 kg), Stroke 3.5 mm
- 2-Component Cartridge, 400 ml, 4:1, 60,5 x 91,5 x 184 mm
- Material Viscosity High
- Professional Use

Part Number	Article	Description	Packaging
DM2 400-50-100	151747	Weight 1.42 kg, Length 310 mm Reinforced Nylon Handle, Steel Cartridge Holder, U-Opening, Standard colour Red/ Black	Packed individually

Product advantages	Customer benefits
High gearing ratio	Effective working
Anti-Drip and trigger integrated brake release	Swift and easy to use, clean application
Centered handle	Well balanced dispenser for precise working
Long life technology	Reliable dispenser

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 43 600 111
mail.mk@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
info@SulzerMixpacUSA.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Manual Dispenser H239

2-K 900 ml 2:1



Suitability

- Force 5.0 kN (~500 kg), Stroke 3.5 mm
- 2-Component Cartridge, 900 ml, 2:1, 71 x 122 x 217 mm
- Material Viscosity High
- Professional Use

Part Number	Article	Description	Packaging
DM2 900-50-100	151748	Weigth 2.08 kg, Length 343 mm Reinforced Nylon Handle, Steel Cartridge Holder, U-Opening, Adjusting Screw, Standard colour Red	Packed individually

Product advantages	Customer benefits
High gearing ratio	Effective working
Anti-Drip and trigger integrated brake release	Swift and easy to use, clean application
Centered handle	Well balanced dispnser for precise working
Long life technology	Reliable dispenser

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 43 600 111
mail.mk@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
info@SulzerMixpacUSA.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Manual Dispenser H248M

2-K 200 ml 1:1



Suitability

- Force 3 kN (~300 kg), Stroke 5.0 mm
- 2-Component Cartridge, 200 ml, 1:1, 37 x 76 x 144 mm
- Material Viscosity Medium
- Professional Use

Part Number	Article	Description	Packaging
DM2 200-30-100	151750	Weight 0.82 kg, Length 305 mm Fully Molded Reinforced Nylon, U-Opening, Snap Fit Function, Standard colour Black	20 units

Product advantages	Customer benefits
Cartridge snap fit	Automatic cartridge positioning and fixation
Optimal gearing ratio	Fast and non tiring working
Anti-Drip and trigger integrated brake release	Swift and easy to use, clean application
Long life technology	Reliable dispenser

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 43 600 111
mail.mk@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
mail.mk@sulzer.com
info@SulzerMixpacUSA.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Manual Dispenser H260

2-K 345 ml 10:1



Suitability

- Force 5 kN (~500 kg), Stroke 3.5 mm
- 2-Component Cartridge, 345 ml, 10:1, 49 x 69 x 215 mm
- Material Viscosity High
- Professional Use

Part Number	Article	Description	Packaging
DM2 345-50-100	151751	Weight 0.90 kg, Length 348 mm Fully Molded Reinforced Nylon U-Opening, Standard colour Black	Packed individually

Product advantages	Customer benefits
Cartridge snap fit	Automatic cartridge positioning and fixation
High gearing ratio	Effective working
Anti-Drip and trigger integrated brake release	Swift and easy to use, clean application
Long life technology	Reliable dispenser

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 43 600 111
mail.mk@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
mail.mk@sulzer.com
fax +1 603 893 37 37
info@SulzerMixpacUSA.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Manual Dispenser H278

2-K 400 ml 10:1



Suitability

- Force 5 kN (~500 kg), Stroke 3.5 mm
- 2-Component Cartridge, 400 ml, 10:1, 69 x 92 x 184 mm
- Material Viscosity High
- Professional Use

Part Number	Article	Description	Packaging
DM2 400-50-200	151760	Weight 1.17 kg, Length 335 mm Fully Molded Reinforced Nylon, U-Opening, Snap Fit Function, Adjusting Screw, Standard colour Black	Packed individually

Product advantages	Customer benefits
Cartridge snap fit	Automatic cartridge positioning and fixation
High gearing ratio	Effective working
Anti-Drip and trigger integrated brake release	Swift and easy to use, clean application
Long life technology	Reliable dispenser

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 43 600 111
mail.mk@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
mail.mk@sulzer.com
info@SulzerMixpacUSA.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Manual Dispenser H283

2-K 400 ml 1:1



Suitability

- Force 5 kN (~500 kg), Stroke 3.5 mm
- 2-Component Cartridge, 400 ml, 2:1, 55 x 96 x 184 mm
- Material Viscosity High
- Professional Use

Part Number	Article	Description	Packaging
DM2 400-50-300	151761	Weight 1.10 kg, Length 312 mm Fully Molded Reinforced Nylon U-Opening, Standard colour Black	Packed individually

Product advantages	Customer benefits
Cartridge snap fit	Automatic cartridge positioning and fixation
High gearing ratio	Effective working
Anti-Drip and trigger integrated brake release	Swift and easy to use, clean application
Long life technology	Reliable dispenser

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 43 600 111
mail.mk@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
mail.mk@sulzer.com
fax +1 603 893 37 37
info@SulzerMixpacUSA.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Manual Dispenser H283-21

2-K 400 ml 2:1



Suitability

- Force 5 kN (~500 kg), Stroke 3.5 mm
- 2-Component Cartridge, 400 ml, 2:1, 55 x 96 x 184 mm
- Material Viscosity High
- Professional Use

Part Number	Article	Description	Packaging
DM2 400-50-400	151762	Weight 1.10 kg, Length 312 mm Fully Molded Reinforced Nylon U-Opening, Standard colour Black	Packed individually

Product advantages	Customer benefits
Cartridge snap fit	Automatic cartridge positioning and fixation
High gearing ratio	Effective working
Anti-Drip and trigger integrated brake release	Swift and easy to use, clean application
Long life technology	Reliable dispenser

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 43 600 111
mail.mk@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
mail.mk@sulzer.com
fax +1 603 893 37 37
info@SulzerMixpacUSA.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Manual Dispenser H285s

2-K 380 ml 10:1 coaxial



Suitability

- Force 5 kN (~500 kg), Stroke 3.5 mm
- 2-Component Cartridge, 380 ml coaxial, 10:1, Ø 63 x 183 mm
- Material Viscosity High
- Professional Use

Part Number	Article	Description	Packaging
DM2 380-50-100	151763	Weigth 1.01 kg, Length 306 mm Fully Molded Reinforced Nylon U-Opening, Standard colour Black	Packed individually

Product advantages	Customer benefits
Cartridge snap fit	Automatic cartridge positioning and fixation
High gearing ratio	Effective working
Anti-Drip and trigger integrated brake release	Swift and easy to use, clean application
Long life technology	Reliable dispenser

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 43 600 111
mail.mk@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
mail.mk@sulzer.com
fax +1 603 893 37 37
info@SulzerMixpacUSA.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Manual Dispenser H285b-600

2-K 380 ml 10:1 coax



Suitability

- Force 5 kN (~500 kg), Stroke 3.5 mm
- 2-Component Cartridge, 380 ml coax, 10:1, Ø 63 x 183 mm
- Material Viscosity High
- Professional Use

Part Number	Article	Description	Packaging
DM2 380-60-200	151764	Weight 1.01 kg, Length 306 mm Fully Molded Reinforced Nylon U-Opening, Standard colour Black	Packed individually

Product advantages	Customer benefits
Cartridge snap fit	Automatic cartridge positioning and fixation
High gearing ratio	Effective working
Anti-Drip and trigger integrated brake release	Swift and easy to use, clean application
Long life technology	Reliable dispenser

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 43 600 111
mail.mk@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
mail.mk@sulzer.com
info@SulzerMixpacUSA.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Manual Dispenser H288

2-K 600 ml 1:1



Suitability

- Force 5 kN (~500 kg), Stroke 3.5 mm
- 2-Component Cartridge, 600 ml, 1:1, 48 x 97 x 219 mm
- Material Viscosity High
- Professional Use

Part Number	Article	Description	Packaging
DM2 600-50-100	151765	Weigth 1.20 kg, Length 365 mm Fully Molded Reinforced Nylon, U-Opening, Snap Fit Function, Adjusting Screw, Standard colour Black	Packed individually

Product advantages	Customer benefits
Cartridge snap fit	Automatic cartridge positioning and fixation
High gearing ratio	Effective working
Anti-Drip and trigger integrated brake release	Swift and easy to use, clean application
Long life technology	Reliable dispenser

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 43 600 111
mail.mk@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
mail.mk@sulzer.com
info@SulzerMixpacUSA.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Manual Dispenser H288 m

2-K 600 ml 1:1



Suitability

- Force 5 kN (~500 kg), Stroke 3.5 mm
- 2-Component Cartridge, 600 ml, 1:1, 48 x 97 x 219 mm
- Material Viscosity High
- Professional Use

Part Number	Article	Description	Packaging
DM2 600-50-200	151766	Weigth 1.20 kg, Length 365 mm Fully Molded Reinforced Nylon, U-Opening, Snap Fit Function, Adjusting Screw, Standard colour Black	Packed individually

Product advantages	Customer benefits
Cartridge snap fit	Automatic cartridge positioning and fixation
High gearing ratio	Effective working
Anti-Drip and trigger integrated brake release	Swift and easy to use, clean application
Long life technology	Reliable dispenser

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 43 600 111
mail.mk@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
mail.mk@sulzer.com
info@SulzerMixpacUSA.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Manual Dispenser H293

2-K 600 ml 1:1



Suitability

- Force 5 kN (~500 kg), Stroke 3.5 mm
- 2-Component Cartridge, 600 ml, 1:1, 51 x 102 x 217 mm
- Material Viscosity High
- Professional Use

Part Number	Article	Description	Packaging
DM2 600-50-300	151767	Weigth 1.20 kg, Length 365 mm Fully Molded Reinforced Nylon, U-Opening, Standard colour Black, Customized versions on demand	Packed individually

Product advantages	Customer benefits
Cartridge snap fit	Automatic cartridge positioning and fixation
High gearing ratio	Effective working
Anti-Drip and trigger integrated brake release	Swift and easy to use, clean application
Long life technology	Reliable dispenser

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 43 600 111
mail.mk@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
mail.mk@sulzer.com
info@SulzerMixpacUSA.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Manual Dispenser H293PM

2-K 450 ml 2:1



Suitability

- Force 5 kN (~500 kg), Stroke 3.5 mm
- 2-Component Cartridge, 450 ml, 2:1, 51(55) x 88(96) x 184(217) mm
- Material Viscosity High
- Professional Use

Part Number	Article	Description	Packaging
DM2 450-50-100	151768	Weight 1.22 kg, Length 355 mm Fully Molded Reinforced Nylon, U-Opening, Standard colour Black, Customized versions on demand	Packed individually

Product advantages	Customer benefits
Cartridge snap fit	Automatic cartridge positioning and fixation
High gearing ratio	Effective working
Anti-Drip and trigger integrated brake release	Swift and easy to use, clean application
Long life technology	Reliable dispenser

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 43 600 111
mail.mk@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
mail.mk@sulzer.com
info@SulzerMixpacUSA.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Manual Dispenser H297

2-K 310 ml 10:1 or 35:1 coaxial

Kartusche?



Suitability

- Force 5 kN (~500 kg), Stroke 3.5 mm
- 2-Component Cartridge, 310 ml coaxial, 10:1 or 35:1, Ø 50 x 220 mm
- Material Viscosity High
- Professional Use

Part Number	Article	Description	Packaging
DM2 300-50-100	151769	Weight 0.8 kg, Length 354 mm Fully Molded Reinforced Nylon, U-Opening, Standard colour Black	Packed individually

Product advantages	Customer benefits
Cartridge snap fit	Automatic cartridge positioning and fixation
High gearing ratio	Effective working
Anti-Drip and trigger integrated brake release	Swift and easy to use, clean application
Long life technology	Reliable dispenser

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 43 600 111
mail.mk@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
mail.mk@sulzer.com
info@SulzerMixpacUSA.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Manual Dispenser H297i

2-K 300/330 ml 35:1 coax



Suitability

- Force 5 kN (~500 kg), Stroke 3.5 mm
- 2-Component Cartridge, 310 ml coax, 10:1 or 35:1, ø50 x 220 mm
- Material Viscosity High
- Professional Use

Part Number	Article	Description	Packaging
DM2 300-50-200	151770	Weight 0.8 kg, Length 354 mm Fully Molded Reinforced Nylon, U-Opening, Standard colour Black	Packed individually

Product advantages	Customer benefits
Cartridge snap fit	Automatic cartridge positioning and fixation
High gearing ratio	Effective working
Anti-Drip and trigger integrated brake release	Swift and easy to use, clean application
Long life technology	Reliable dispenser

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 43 600 111
mail.mk@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
mail.mk@sulzer.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Manual Dispenser H298

2-K 825 ml 10:1



Suitability

- Force 5 kN (~500 kg), Stroke 3.5 mm
- 2-Component Cartridge, 825 ml, 10:1, 79 x 106 x 217 mm
- Material Viscosity High
- Professional Use

Part Number	Article	Description	Packaging
DM2 825-50-100	151772	Weight 1.60 kg, Length 435 mm Reinforced Nylon Handle, Metal Cartridge Holder, U-Opening, Adjusting Screw, Standard colour Red/Black	Packed individually

Product advantages	Customer benefits
High gearing ratio	Effective working
Centered handle	Well balanced dispenser for precise working
Anti-Drip and trigger integrated brake release	Swift and easy to use, clean application
Long life technology	Reliable dispenser

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 43 600 111
mail.mk@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
info@SulzerMixpacUSA.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com

Manual Dispenser H299s

2-K 1500 ml 1:1



Suitability

- Force 5 kN (~500 kg), Stroke 3.5 mm
- 2-Component Cartridge, 1500 ml, 1:1, 79 x 158 x 217 mm
- Material Viscosity High
- Professional Use

Part Number	Article	Description	Packaging
DM2 1500-50-100	151773	Weigth 2.10 kg, Length 349 mm Reinforced Nylon Handle, Metal Cartridge Holder, U-Opening, Front Handle, Standard colour Red/Black	Packed individually

Product advantages	Customer benefits
High gearing ratio	Effective working
Centered handle	Well balanced dispneser for precise working
Anti-Drip and trigger integrated brake release	Swift and easy to use, clean application
Long life technology	Reliable dispenser

Headquarters

Sulzer Mixpac Ltd
phone +41 81 772 20 00
fax +41 81 772 20 01
mixpac@sulzer.com
www.sulzer.com

Denmark

Sulzer Mixpac Denmark A/S
phone +45 43 600 111
mail.mk@sulzer.com
www.sulzer.com

USA, South America, Canada and Mexico

Sulzer Mixpac USA Inc.
phone +1 603 893 27 27
fax +1 603 893 37 37
info@SulzerMixpacUSA.com
www.sulzer.com

UK and Ireland

Sulzer Mixpac UK
phone +44 1536 31 29 90
fax +44 1536 31 29 85
mixpac@sulzer.com
www.sulzer.com

Asia Pacific

Sulzer Mixpac China
phone +86 21 6430 68 68
fax +86 21 6430 66 88
mixpac@sulzer.com
www.sulzer.com